

1 INFLUENCE OF APPLE PEEL POWDER ADDITION ON THE PHYSICO-CHEMICAL
2 CHARACTERISTICS AND NUTRITIONAL QUALITY OF BREAD WHEAT COOKIES

3
4 Running title: Apple peel powder improves cookies quality

5
6 Gjore Nakov^{a*}, Andrea Brandolini^b, Alyssa Hidalgo^c, Nastia Ivanova^a, Marko Jukić^d,
7 Daliborka Koceva Komlenić^d, Jasmina Lukinac^d

8
9 ^a University of Ruse “Angel Kanchev”, branch Razgrad, blv. Aprilsko vastanie, 47 7200
10 Razgrad, Bulgaria.

11 ^b Consiglio per la ricerca in agricoltura e l’analisi dell’economia agraria - Centro di Ricerca
12 Zootecnia e Acquacoltura (CREA-ZA), Via Forlani 3, 26866 S. Angelo Lodigiano (LO), Italy.

13 ^c Department of Food, Environmental and Nutritional Sciences (DeFENS), Università degli
14 Studi di Milano, via Celoria 2, 20133 Milano, Italy.

15 ^d Faculty of Food Technology Osijek, Josip Juraj Strossmayer University of Osijek, str. Franje
16 Kuhača 20, HR-31000 Osijek, Croatia.

17
18 * Corresponding author; e-mail: gnakov@uni-ruse.bg; tel: +359882956044. ORCID iD: 0000-
19 0002-3780-8412

Abstract

Apple peel, a food industry by-product, is rich in fibre, polyphenols and minerals, and is a potentially attractive ingredient for bakery products. To evaluate the effect of wheat cookies enrichment with apple peel powder (APP) six types of cookies with increasing APP percentage (0%, 4%, 8%, 16%, 24% and 32%) were produced. The traits analysed were: pasting parameters; chemical properties (moisture, ash, lipid, protein, fibre and total polyphenols content); antioxidant capacity (DPPH and FRAP methods); physical attributes (width, thickness, volume and CIE lab colour); and sensory characteristics (external appearance, internal structure, texture, odour, taste and aroma). Statistical analysis included analysis of variance (ANOVA) followed by Fisher's Least Significant Difference test ($p<0.05$). The APP-enriched cookies had significantly higher moisture, ash, lipid, fibre, total polyphenols and antioxidant capacity than the control bread wheat cookies. The addition of APP did not modify the physical characteristics and improved the sensorial quality of the products. The addition of 24% APP gave the cookies with the best overall quality.

Keywords

Antioxidant capacity; apple peel powder; cookies; fibre; polyphenols; sensory quality.

INTRODUCTION

Every year the food industry produces millions of tonnes of by-product waste that could be used as a source of high-quality components (e.g. proteins, fibres, polysaccharides, antioxidants, aromatic compounds, etc.) for the preparation of innovative foods, pharmaceuticals, cosmetics and other products (Lauková et al. 2016; Socaci et al. 2017).

Apple (*Malus domestica* Borkh) is widely grown in temperate climates all over the world; 4.9 million ha were planted with apple trees in 2017, producing over 83 million tonnes of fruits (FAO 2019). About 18% of world total production is processed into drinks, syrups, jams, purees, etc. (Rabetafika et al., 2014), generating a vast amount of by-products whose disposal may lead to environmental problems and adds extra costs to the food manufacturers.

Apple industrial waste, mainly pomace from the juice and cider industry or peel from the preparation of canned apples, sauces, purees, dried rings, etc., has been proposed as a commodity, suitable to generate high added value by-products (Rabetafika et al., 2014). Compared to the pomace, the peel is richer in lipids, ash and soluble dietary fibre (Rabetafika et al., 2014), as well as in flavonoids (Rupasinghe et al. 2008; Wolfe and Liu 2003; Wolfe et al. 2003) and phenolic acids (Rabetafika et al., 2014). Phenolics and dietary fibre exert a positive influence on the prevention of several diseases (Hidalgo et al. 2018; Mendoza-Wilson et al. 2016; Rupasinghe et al. 2008) and have a positive effect on human health (Dahl et al., 2015; Henríquez et al. 2010). Furthermore, from a technological perspective, the dietary fibre increases water and **oil holding capacity**, emulgation and gel forming (changing texture, colour and aroma of foods), stabilises products with high content of fats and emulsions (increasing their shelf life) (Karošičová et al. 2015), and lowers the energy of the final products (Lauková et al. 2016).

The increased sensibility and interest of the consumers in the nutritional quality of foods and their potential benefits on the human health has led to a strong demand for functional products, rich in natural antioxidants and dietary fibre (Rupasinghe et al. 2008). Baked products, popular, **ready-to-eat and consumed on a daily basis, are an ideal target for nutritive improvement (Martins et al. 2017)**. While some information is available on the addition of apple peel to muffins (Rupasinghe et al. 2008; Rupasinghe et al. 2009) or of apple pomace to cookies (Lauková et al. 2016), no information on the utilisation of apple peel to improve the

nutritional quality of cookies is available. The exploitation of apple peel as an ingredient of healthy foods can bring considerable benefits to human health (Chen et al. 1988); additionally, the use of this by-product would provide to the apple industry an efficient and environment-friendly solution for waste disposal (Rupasinghe et al. 2008). Aim of our research was therefore to study the effect of the addition of dry apple peel powder in different quantity (0%, 4%, 8%, 16%, 24% and 32%) on the physico-chemical, nutritional and sensorial characteristics of wheat cookies.

MATERIALS AND METHODS

Materials

The type-550 white wheat flour used for cookies manufacturing was produced by the Sofia Mel mills (Sofia, Bulgaria). The apple peel powder (APP) was prepared from apples of Idared, a variety with red peel, tart and juicy white flesh. The apples were harvested in 2017 in Razgrad Province (43°32'00" N, 26°31'00" E), Bulgaria. After careful washing, the apples were manually peeled; the peels were blanched in hot water for 30 s to stop enzymatic darkening, washed and dried for 48 hours at 60 °C in a UFE 500 oven (Memmert GmbH, Schwabach, Germany). The dried peels were finely ground (size < 0.5 mm) with an IKA MF10 grinder (IKA®-Werke GmbH & Co. KG, Staufen, Germany) and stored in sealed bags at 4°C until cookies manufacturing. All the other ingredients were obtained from shops in Razgrad (Bulgaria).

Cookies preparation

Cookies were prepared according to method 10-50D (AACC International 2000), with minor modifications. The control cookies were prepared from 100 g bread wheat flour, 33.0 g glucose solution (5.93 g/L), 2.5 g baking soda, 2.1 g salt, 64 g butter and 36.0 mL water,

while in the enriched cookies 4%, 8%, 16%, 24% and 32% of the flour was replaced by equal amounts of apple peel powder. The percentages used were chosen based on literature review information (e.g. Rupasinghe et al., 2008), preliminary tests and previous experience with other by-products powders. The ingredients were kneaded for 300 s with an electronic mixer (Stand Mixer ELITE STM-0248, Timetron Bulgaria, Sofia, Bulgaria). The dough was stored in a refrigerator at 8 °C for 30 min, then flattened to 18 mm with a rolling pin and cut with a die cutter (internal diameter: 44 mm). The cookies were baked for 10 min at 205 °C in an AEG BES351110M oven (AEG, Bulgaria), cooled at room temperature for 30 min and stored at -20 °C until analysis. Six types of cookies were produced: control (100% wheat flour) and enriched with increasing percentages (4%, 8%, 16%, 24% 32%) of apple peel powder. Two sets of 10 cookies were prepared for each flour or mixture.

Pasting properties of raw materials

Pasting properties of flour and mixtures were examined using a Micro Visco-Amylo-Graph (Brabender OHG, Duisburg, Germany) according to Nakov et al. (2018). The following parameters were determined: peak viscosity, breakdown, setback and final viscosity. The measurements were performed in duplicate; the results are presented in Brabender Units (BU).

Chemical characteristics

The moisture of flour, apple peel powder and baked cookies was evaluated according to method 6540:1980 (International Standard Organisation 1980). Ash content was assessed according to method 5984:2002 (International Standard Organisation 2002). Protein content was determined as in Maehre et al. (2018). Lipid content was measured gravimetrically after Soxhlet extraction of the acid hydrolysed sample (method 136, ICC 1995). Fibre content was

assessed as detailed in method 32-07.01 (AACC International 2000). Total carbohydrate content was computed by difference.

Total polyphenol content and antioxidant activity

Total polyphenols content was determined on methanol extracts with the Folin-Ciocalteu method according to Slinkard and Singleton (1977) and expressed as mg gallic acid equivalent (GAE)/100 g dry matter (DM). The antioxidant capacity was tested using the 2,2-diphenyl-1-picrylhydrazyl (DPPH) radical cation following Brand-Williams et al. (1995), and the ferric reducing antioxidant power (FRAP) as described by Benzie and Strain (1996); the results are reported in µg trolox equivalent (TE)/g DM.

Cookies physical characteristics

Cookie width was measured as the average of five cookies, and cookie thickness was measured as the average of five stacked cookies, following method 10-50D (AACC International 2000); both measurements are in mm. The volume was computed from the width and thickness parameters, considering the cookies as cylinders. Two replicates of each measurement were performed. The colour of the cookies in CIE $L^* a^* b^*$ system was assessed with a Chroma Meter CR-400 colorimeter (Konica Minolta, Tokyo, Japan) with the use of illuminant D65 on two sets of five random cookies.

Cookies sensory analysis

Sensory analytical tests, aimed at objectively evaluating the characteristics of the cookies, were performed at the University of Ruse “Angel Kanchev” - Branch Razgrad, using the methodology first described by Popov-Raljić et al. (2005). Twenty trained assessors participated (14 females and 6 males, aged 21 to 32 years) to the sensory analysis. The

assessors were trained according to the guidelines given in the International standard ISO 8586 (2012) and selected according to three criteria: having a preference for the short dough cookies, eating cookies at least once a month, and having interest in participating in the study. Informed consent from the participants was obtained, according to the guidelines on Ethics and Food-Related research defined by the European Union (Alfonsi et al. 2012). External appearance, internal structure, texture, odour, taste and aroma were scored from 1 to 5, where 1 is extreme dislike and 5 is extreme like; the final quality score was computed as the average of the five traits scored.

Statistical analysis

Analysis of variance (ANOVA) and Fisher's Least Significant Difference test (LSD) at $p < 0.05$ were performed with the softwares XLSTAT 2017 (Addinsoft Inc., Long Island City, NY, USA) and Office Excel 2013 (Microsoft, Redmond, WA, USA).

RESULTS AND DISCUSSION

Flour and apple peel powder composition

The characteristics of the bread wheat white flour and apple peel powder used in the preparation of the cookies are reported in Table 1. The apple peel powder had lower proteins content but higher ash, lipid, fibre, total polyphenols concentrations as well as superior antioxidant capacity than the white flour, with values like those by Rupasinghe et al. (2008).

Table 1. Composition (mean \pm standard deviation) and antioxidant activity (DPPH and FRAP methods) of white bread wheat flour and apple peel powder. The means are computed from three repetitions. GAE: gallic acid equivalent; TE: trolox equivalent.

	White flour	Apple peel powder
Moisture (g/100 g)	12.01 \pm 0.07	3.23 \pm 0.09

Ash (g/100 g DM)	0.50±0.07	4.78±0.01
Lipid (g/100 g DM)	1.38±0.14	10.15±0.24
Protein (g/100 g DM)	13.21±0.60	3.20±0.98
Soluble fibre (g/100 g DM)	4.71±0.10	32.03±1.44
Insoluble fibre (g/100 g DM)	2.50±0.09	11.86±0.31
Total fibre (g/100 g DM)	7.21±0.54	43.89±1.85
Total carbohydrates	84.91±1.25	81.87±1.19
Total phenols (µg GAE/100 g DM)	101.4±18.22	1086.7±15.50
DPPH (µg TE/g DM)	96.6±0.50	228.1±1.42
FRAP (µg TE/g DM)	378.0±11.3	7142.3±218.6

Pasting properties

Table 2 shows several visco-amylographic parameters (peak viscosity, breakdown, setback, final viscosity and pasting temperature) of the bread wheat flour and the five mixtures with increasing apple peel powder concentrations. The ANOVA (not presented) highlighted the existence of significant differences ($p<0.05$) among the six samples for all the parameters. Increasing the quantity of apple peel powder in the mixture led to a significant decrease of peak viscosity, breakdown, setback and final viscosity values, whereas pasting temperature increased. Similar conclusions were reached by Mir et al. (2015) when studying the pasting properties of a mixture of wheat flour and apple pomace, leading them to point out that the increase in apple pomace lowered the starch content of the mixture, influencing the pasting properties. An additional reason may be the high fibre (mostly pectin) content of apple peel powder, which absorbs water and reduces the water available to starch granules, thus limiting their swelling. Such a hypothesis was proposed by Sudha et al. (2007) after noticing that peak viscosity of a suspension declined after increasing apple pomace content. Interestingly, a decrease in peak and final viscosity was observed also by Rojas et al. (1999) after adding pectin to wheat flour.

Table 2. Mean values (\pm standard deviation) of the pasting parameters of the six mixtures. APP: apple peel powder; BU: Brabender units. The means are computed from three repetitions. Values in the same column with different exponents are significantly different ($p < 0.05$) following Fisher's LSD test.

APP	Peak viscosity BU	Breakdown BU	Setback BU	Final viscosity BU	Pasting temperature °C
0%	320.0 ^a \pm 4.04	208.0 ^a \pm 2.63	167.0 ^a \pm 5.66	279.0 ^a \pm 7.07	61.1 ^d \pm 0.71
4%	291.5 ^b \pm 7.78	182.0 ^{ab} \pm 2.79	162.0 ^{ab} \pm 0.00	271.5 ^{ab} \pm 4.95	61.2 ^d \pm 0.35
8%	275.5 ^{bc} \pm 0.71	161.0 ^{bc} \pm 4.24	154.0 ^{ab} \pm 1.31	268.5 ^{abc} \pm 6.36	62.1 ^c \pm 0.00
16%	261.0 ^c \pm 1.41	151.5 ^c \pm 4.95	158.5 ^b \pm 0.71	268.0 ^{abc} \pm 4.24	62.4 ^{bc} \pm 0.07
24%	260.0 ^c \pm 1.52	142.5 ^c \pm 2.12	140.0 ^c \pm 2.83	260.0 ^{bc} \pm 0.00	63.1 ^{ab} \pm 0.07
32%	259.0 ^c \pm 1.40	138.0 ^c \pm 1.41	137.5 ^c \pm 0.71	258.5 ^c \pm 0.71	63.8 ^a \pm 0.42

Physical characteristics

In cookies, size, shape and colour are important choice elements for the consumer and are strongly influenced by ingredients and production condition. The ANOVA (not presented) demonstrated the existence of significant differences ($p < 0.05$) among samples for thickness, but not for width; the volume, computed from these parameters, varied among samples; significant differences ($p < 0.05$) for all the colour parameters were also observed. Table 3 reports the mean values of the physical parameters. As hinted from the ANOVA, cookies width was similar among samples (minimum value: 4.10 cm, maximum value 4.19 cm). On the contrary, the thickness declined with the increase of apple peel powder in the samples, passing from 2.51 cm (control) to 1.69 cm (cookie enriched with 32% apple peel powder). Hence, the volume gradually declined from the control to the 32% APP cookies. A possible reason for this trend is the high fibre content of APP that, when used to substitute bread wheat flour, leads to a dilution of the storage proteins content and furthermore interferes with the formation of the gluten matrix, thus giving smaller biscuits. In fact, Rupasinghe et al. (2009) experienced a height reduction in muffins with 16%-32% APP compared to the all-bread-

wheat control, while Lauková et al. (2016) observed a decrease of cookies volume after the addition of 5, 10 and 15% apple powder. Similarly, Sudha et al. (2007) prepared cakes containing increasing apple pomace percentages (up to 30%) and noticed that their volume decreased from 850 cm³ (control) to 620 cm³ (30% apple pomace). Baking affected the colour of the cookies, as shown by the results reported in Table 3 and by the **images** in Supplementary Figure 1.

Table 3. Mean values (\pm standard deviation) of the physical characteristics of the six cookie types. APP: apple peel powder. The means are computed from three repetitions. Values in the same column with different exponents are significantly different ($p < 0.05$) following Fisher's LSD test.

APP	Width (cm)	Thickness (cm)	Volume (cm ³)	Colour		
				<i>L</i> *	<i>a</i> *	<i>b</i> *
0%	4.10 \pm 0.07	2.51 ^a \pm 0.01	34.5 ^a \pm 0.55	75.6 ^a \pm 0.85	2.6 ^d \pm 0.13	32.8 ^a \pm 0.41
4%	4.15 \pm 0.02	2.30 ^b \pm 0.02	31.4 ^{ab} \pm 0.38	71.9 ^b \pm 1.11	3.0 ^d \pm 0.52	29.5 ^b \pm 1.86
8%	4.16 \pm 0.02	2.29 ^b \pm 0.02	31.2 ^{ab} \pm 0.77	69.7 ^c \pm 2.21	4.4 ^c \pm 1.60	28.5 ^{bc} \pm 0.15
16%	4.17 \pm 0.02	2.16 ^c \pm 0.22	29.3 ^b \pm 3.00	69.7 ^c \pm 2.03	4.3 ^c \pm 0.42	27.9 ^{bcd} \pm 0.42
24%	4.17 \pm 0.02	1.84 ^d \pm 0.02	24.9 ^c \pm 0.12	62.1 ^d \pm 0.35	6.7 ^b \pm 0.68	27.2 ^{cd} \pm 1.28
32%	4.19 \pm 0.02	1.69 ^e \pm 0.01	22.3 ^c \pm 0.93	59.2 ^e \pm 0.89	8.5 ^a \pm 0.82	26.2 ^d \pm 0.99

The control cookies, prepared with 100% bread wheat white flour, were the most luminous ($L^*=75.6$) and the samples became darker with increasing apple peel powder additions; in fact, the cookie with 32% APP had the lowest L^* (59.2). The b^* parameter followed a similar pattern: the control had the highest score (32.8), while the increase of apple peel powder in the cookies led to b^* as low as 26.2 in the 32% APP-enriched sample, indicating a decline of the yellowish tinge of the cookies. Conversely, the a^* values increase with the addition of apple peel powder, denoting a change from greenish to magenta hues. The addition of food industry by-products such as APP, apple pomace or sour cherry cake has a darkening effect on bakery products (Mir et al. 2015; Tumbas Šaponjac et al. 2016; Rupasinghe et al. 2009), possibly because these ingredients are darker than the wheat flour and/or, being rich in

polyphenols, favour enzymatic darkening reactions (Mir et al. 2015). Recently, Pasqualone et al. (2019) reported a similar darkening in cookies after the addition of phenolic-rich acorn flour and attributed it to effect of polyphenoloxidase on the phenolic compounds.

Chemical characteristics

The ANOVA for moisture, ash, lipid, protein and fibre content showed significant differences between cookie types. Fig. 1 depicts some chemical parameters of the different samples. The moisture content (Fig. 1A) was low in the control (17.0%), and progressively grew with the increase in APP content, reaching 22.9% in cookies with 32% apple peel powder. This trend is probably linked to the strong water binding properties of apple fibre (Chen et al. 1988) and has been observed by other authors (Sudha et al. 2007; Rupasinghe et al. 2008). The ash content is shown in Fig. 1B; the cookies without APP had the lowest content (1.81%) and the addition of apple peel powder significantly increased (+21%) ash concentration, as reported for muffins by Rupasinghe et al. (2008). The lipid content of the cookies is shown in Fig. 1C. The control had the lowest concentration (18.1 g/100 g DM); adding APP increased it, up to 23.61 g/100 g DM in products with 32% APP, corresponding to a +30% variation. Different lipids are added in cookies manufacturing because they improve dough plasticity, air retention, appearance and taste, but apple peel is particularly rich in unsaturated galactolipids and phospholipids (Wang and Faust 1992). The protein content (Fig. 1D) showed a drastic reduction (-58%), from 19.37 g/100 g DM in the 100% white bread wheat flour cookies to 8.09 g/100 g DM in the 32% APP cookies. Proteins concentration and quality are other relevant quality determinants in cookies, as during baking they coagulate and strengthen the gluten structure. A protein content decrease in muffins after the addition of apple peel powder is reported by Rupasinghe et al. (2008) and was attributed to the substitution of wheat flour with the fibre-rich apple peel.




Figure 1. Moisture (A), ash (B), lipid (C) and protein (D) content of the six cookie types. I: control (100% white wheat flour); II: 4% APP; III: 8% APP; IV: 16% APP; V: 24% APP; and VI: 32% APP. APP: apple peel powder. The bars indicate the standard deviations. Different letters indicate significant differences ($p \leq 0.05$) among samples.

Dietary fibre content is depicted in Fig. 2A. In the control cookies, the soluble component represented the majority (57.9%) of total fibre. A steady increase in total fibre was recorded with the APP enrichment of cookies, passing from 2.2 g/100 g DM (control) to 10.4 g/100 g DM (32% APP); interestingly, the soluble fraction showed a stronger raise (from 2.3 to 7.8 g/100 g DM) than the insoluble fraction (from 0.9 to 2.5 g/100 g DM), and in the cookies with the highest APS addition represented 73% of the total fibre. An analogous trend was reported by Rupasinghe et al. (2008) in muffins: their total fibre rose from 1.3 to 7.6% DM after the incorporation of up to 24% APP and the soluble fibre fraction increased more than the insoluble fraction. The samples with 4 and 8% APP can be characterized as “fibre source”, while the samples with 16, 24 and 32% APP can be labelled as “high fibre source” products according to Regulation (EC) No 1924/2006 of the European Parliament on Nutrition and Health Claims Made on Foods.

Overall, the total carbohydrate concentration passed from 60.7 g/100 g DM in the control to 66.1g/100 g DM in the 32% APP-enriched cookies; however, the increase was in digestible fibre, which, compared to starch, has lower energetic value (FAO, 2003), helps to control the glycemic index (Alongi et al., 2019) and increases satiety (Burton-Freeman et al., 2017; Ye et al., 2015).

Total polyphenols content and antioxidant capacity

The ANOVA for total polyphenols content and antioxidant capacity (not presented) showed significant differences between cookie types. The total polyphenols content in the control (Fig. 2B) was 146.15 µg GAE/g. Even a small addition (4%) of APP increased TPC content (250.6 µg GAE/g), and the cookies with 32% APP reached a TPC content of 622.12 µg GAE/g. Fresh apples (110-357 mg/100 g), and fresh apple peels (309-589 mg/100 g) are a good source of polyphenols (Wolfe et al. 2003); variety, ripeness, growing area, weather and management conditions modify their content and composition, but the polyphenols contained in apples are among the best natural antioxidants (Mendoza-Wilson et al. 2016). Thus, the utilisation of apple peel as an ingredient in sweet food products like cookies and muffins is an efficient and easy way to improve their nutritional characteristics and salutistic effects. The antioxidant capacity (Fig. 2 C and 2D), determined with the DPPH and FRAP radicals, was lowest (84.3 µg TE/g DM and 264 µg TE/g DM, respectively) in the APP-less control cookies. The increase of APP content led to a strong increase in the antioxidant capacity, up to 126.7 µg TE/g DM (DPPH) and 2280.9 µg TE/g DM (FRAP) in cookies with 32% APP. Rupasinghe et al. (2008) found that APP significantly increased both polyphenols content and antioxidant capacity in muffins. Similarly, Hidalgo et al. (2018) reported a similar sharp increase in TPC content (from 79.8 to 153.7 mg GAE/kg DM) and in FRAP antioxidant capacity (from 2.0 to 8.5 mmol TE/kg DM, i.e. from 508 to 2133 mg TE/g DM) after the

addition of microencapsulate beetroot pomace extracts to bread wheat water biscuits. Thermal treatment during manufacturing can influence polyphenols composition and antioxidant capacity of the products; for example, low moisture and high temperature (around 200 °C) favour the transformation of quercetin into other compounds (Zhang et al. 2014), while thermal treatments release bound phenolic acids from cell walls (Zielinski et al. 2001), improving their bioavailability.




Figure 2. Fibre (A), carbohydrates (B), total phenolic content (TPC; C) and antioxidant capacity (DPPH and FRAP methods; D and E, respectively) of the six cookie types. I: control (100% white wheat flour); II: 4% APP; III: 8% APP; IV: 16% APP; V: 24% APP; and VI: 32% APP. APP: apple peel powder. The bars indicate the standard deviations. Different letters indicate significant differences ($p \leq 0.05$) among samples.

Sensory characteristics

Sensory characteristics are often the main reason to choose a product (Nakov et al. 2017). The results of the sensory analysis carried out on the six cookie types are shown in Fig. 3A. In general, the addition of APP improved the aroma and the taste of the cookies without penalising internal structure, odour and appearance; in fact, only for texture the control formulation outscored the APS-enhanced cookies. The addition of 24% APP gave the best results for appearance, internal structure, texture and (together with 16% and 32% APP cookies) taste, arguably the most important factor to consider when creating a new food product (Rupasinghe et al. 2008). Overall, the 24% addition of APP gave the best cookies (Fig. 3B), with an average score of 4.4 out of 5. Sudha et al. (2007), performing a sensory analysis on muffins prepared with the addition of 8%, 16% and 24% apple pomace, concluded that replacing wheat flour with up to 20% apple pomace did not worsen the products and gave a pleasant fruity flavour.





Figure 3. Sensory analysis traits results (A) and overall quality (B) of the six cookie types. I: control (100% white wheat flour); II: 4% APP; III: 8% APP; IV: 16% APP; V: 24% APP; and VI: 32% APP. APP: apple peel powder. The sensory traits (y axis) vary from 1 (very poor) to 5 (excellent). The bars indicate the standard deviations. Different letters indicate significant differences ($p \leq 0.05$) among samples.

CONCLUSIONS

Apple peel is an underutilised food industry by-product, and its disposal can be difficult and expensive. Nevertheless, apple peel is rich in fibre, polyphenols and minerals, making it a potentially attractive ingredient for bakery products. Our research demonstrated that APP-enriched cookies had higher moisture, ash, lipid, fibre, total polyphenols and antioxidant capacity than the control cookies. **Given the high fibre content, APP cookies can be characterized as "fibre source" and "high fibre source" products according to European Community Regulation No 1924/2006.** Furthermore, the addition of APP did not worsen the physical characteristics of the products and helped to improve their sensorial quality. **Overall, the addition of 24% APP gave the cookies with the best combination of physical, chemical and sensorial qualities.** APP can be considered a valuable source of polyphenols and dietary fibre for the manufacturing of new bakery products with functional and nutraceutical properties; additionally, its utilisation will contribute to alleviate environmental concerns associated with its disposal.

Conflict of interest

The Authors declare no conflict of interest.

REFERENCES

- AACC International (2000). Approved Methods of Analysis, 10th Ed. Methods 10-50.05 and 32-07.01. *AACC International, St. Paul, MN, USA.*
- Alfonsi A, Coles D, Halse C, Koppel J, Ladikas M, Schmucker von Koch J, Schroeder D, Sprumont D, Verbeke W and Zaruk D. (2012). Guidande note: ethics and food-related research.

European Group on Ethics in Science and New Technologies.
http://ec.europa.eu/research/participants/data/ref/fp7/89847/research-food_en.pdf

Alongi M., Melchior S and Anese M. 2019. Reducing the glycemic index of short dough biscuits by using apple pomace as a functional ingredient. *LWT-Food Science and Technology*, 100, 300-305.

Benzie I and Strain J. (1996). The ferric reducing ability of plasma (FRAP) as a measure of “antioxidant power”: the FRAP assay. *Analytical Biochemistry* 239: 70-76.

Brand-Williams W, Cuvelier ME and Berset C. (1995). Use of a free radical method to evaluate antioxidant activity. *LWT – Food Science and Technology*, 28: 25-30.

Burton-Freeman B., Liyanage D, Rahman S and Edirisinghe I. (2017). Ratios of soluble and insoluble dietary fibers on satiety and energy intake in overweight pre-and postmenopausal women 1. *Nutrition and healthy aging* 4: 157-168.

Chen H, Rubenthaler GL, Leung H and Baranowski JD. (1988). Chemical, physical and baking properties of apple fibre compared with wheat and oat bran. *Cereal Chemistry* 65: 244–247.

Dahl WJ and Stewart ML. (2015). Position of the Academy of Nutrition and Dietetics: health implications of dietary fiber. *Journal of the Academy of Nutrition and Dietetics*, 115(11): 1861-1870.

FAO (2003). Food and Nutrition Paper 77. Food energy - methods of analysis and conversion factors. Report of a Technical Workshop, Rome, 3-6 December 2002. Rome, 2003. *Food and Agriculture Organization of the United Nations*.

FAO (2019). FAOstat-Food and Agriculture Organization of the United Nations statistics. <http://www.fao.org/faostat> Accessed 20 June 2019.

Henríquez C, Speisky H, Chiffelle I, Valenzuela T, Araya M, Simpson R and Almonacid S. (2010). Development of an ingredient containing apple peel, as a source of polyphenols and dietary fiber. *Journal of Food Science* 75: 172-181.

385 Hidalgo A, Brandolini A, Čanadanovic-Brunet J, Četkovic G and Tumbas-Šaponjac V. (2018).
 386 Microencapsulates and extracts from red beetroot pomace modify antioxidant capacity, heat
 387 damage and colour of pseudocereals-enriched einkorn water biscuits. *Food Chemistry* 268: 40-
 388 48.
 389 ICC (1995). Standard method 136. In: ICC Standard Methods, 2nd supplement., *International*
 390 *Association for Cereal Science and Technology. Vienna, Austria.*
 391 International Standard Organisation (1980). ISO 6540:1980. Maize - Determination of moisture
 392 content (on milled grains and on whole grains). *ISO, Vernier, Geneva, Switzerland.*
 393 International Standard Organisation (2002). ISO 5984:2002. Animal feeding stuffs -
 394 Determination of crude ash. *ISO, Vernier, Geneva, Switzerland.*
 395 International Standard Organisation (2012). ISO 8586:2012. Sensory analysis - General
 396 guidelines for the selection, training and monitoring of selected assessors and expert sensory
 397 assessors. *ISO, Vernier, Geneva, Switzerland.*
 398 Karovičová J, Kohajdová Z, Minarovičová L and Kuchtová V. (2015). The chemical
 399 composition of grape fibre. *Potravinárstvo* 9: 56-57.
 400 Lauková M, Kohajdová Z and Karovičová J. (2016). Effect of hydrated apple powder on dough
 401 rheology and cookies quality. *Potravinárstvo* 10: 506-511.
 402 Maehre KH., Dalheim L., Edvinsen KG., Elvevol OE and Jensen JI. (2018). Protein
 403 Determination – Method Matters. *Foods* 7:5.
 404 Martins ZE, Pinho O and Ferreira IMPLVO. (2017). Food industry by-products used as
 405 functional ingredients of bakery products. *Trends in Food Science & Technology* 67:106-128.
 406 Mendoza-Wilson AM, Castro-Arredondo IS, Espinosa-Plascencia A, Robles-Burgueño MR,
 407 Balandrán-Quintana RR and Bermúdez-Almada MC. (2016). Chemical composition and
 408 antioxidant-prooxidant potential of a polyphenolic extract and a proanthocyanidin-rich fraction
 409 of apple skin. *Heliyon* 2: 00073.

410 Mir SA, Bosco SJD, Shah MA, Santhalakshmy S and Mir MM. (2017). Effect of apple pomace
 411 on quality characteristics of brown rice-based cracker. *Journal of the Saudi Society of*
 412 *Agricultural Sciences* 16: 25-32.

413 Nakov G, Brandolini A, Ivanova N, Stamatovska V and Dimov I. (2018). The effect of einkorn
 414 (*Triticum monococcum* L.) whole meal flour addition on physico-chemical characteristics,
 415 biological active compounds and in vitro starch digestion of cookies. *Journal of Cereal Science*
 416 83: 116-122.

417 Nakov G, Koceva Komlenić D, Ivanova N, Damyanova S, Godjevargova T and Šušak A.
 418 (2017). Sensory analysis of biscuits from einkorn flour, barley flour, einkorn flakes and wheat
 419 flour in different proportions and different sugars. *Proc. 9th International Congress FLOUR-*
 420 *BREAD 2017-11th Croatian Congress of Cereal Technologists*: 105-114.

421 Pasqualone A, Makhoulouf FZ, Barkat M, Difonzo G, Summo C, Squeo G and Caponio F. (2019).
 422 Effect of acorn flour on the physico-chemical and sensory properties of biscuits. *Heliyon* 5(8):
 423 02242.

424 Popov-Raljić J, Laličić J, Gorjanović R and Sikimić, V. (2005). Predlog Mogućnosti Senzornog
 425 vrednovanja brašneno'konditorskih proizvoda I tupu tvrdog keksa, krepera i slanog peciva
 426 (Suggestions for sensory evaluation of flour, confectionery products and dough of hard biscuits,
 427 crackers and salty pastries). *Žito-hleb*, 32: 179-184.

428 Rabetafika HN, Bchir B, Blecker C and Richel A. (2014). Fractionation of apple by-products
 429 as source of new ingredients: Current situation and perspectives. *Trends in Food Science and*
 430 *Technology* 40: 99-114.

431 Regulation (EC) No 1924/2006 of the European Parliament and of the Council of 20 December
 432 2006 on nutrition and health claims made on foods.

433 Rojas AJ, Rosell MC and Benedito de Barber C. (1999). Pasting properties of different wheat
 434 flour-hydrocolloid systems. *Food Hydrocolloids* 13: 27-33.

435 Rupasinghe VHP, Wang L, Huber MG and Pitts LN. (2008). Effect of baking on dietary fibre
 436 and phenolics of muffins incorporated with apple skin powder. *Food Chemistry* 107: 1217-
 437 1224.

438 Rupasinghe VHP, Wang L, Pitts LN and Astatkie T. (2009). Baking and sensory characteristics
 439 of muffins incorporated with apple skin powder. *Journal of Food Quality* 32: 685–694.

440 Slinkard K and Singleton VL. (1977). Total phenol analyses: automation and comparison with
 441 manual methods. *American Journal of Enology and Viticulture* 28: 49-55.

442 Socaci AS, Fărcaș CA, Vodnar CD and Tofană M. (2017). Food wastes as valuable sources of
 443 bioactive molecules. In: Superfood and functional food - The development of superfoods and
 444 their roles as medicine. *IntechOpen*: 77-93.

445 Sudha LM, Baskaran V and Leelavathi K. (2007). Apple pomace as a source of dietary fiber
 446 and polyphenols and its effect on the rheological characteristics and cake making. *Food*
 447 *Chemistry* 104: 686–692.

448 Tumbas Šaponjac V, Ćetkovic G, Čanadanović-Brunet J, Pajin B, Djilas S, Petrović J,
 449 Lončarević I, Stajčić S and Vulić J. (2016). Sour cherry pomace extract encapsulated in whey
 450 and soy proteins: incorporation in cookies. *Food Chemistry* 207: 27–33.

451 Wang SY and Faust M. (1992). Variation in lipid composition of apples in relation to watercore.
 452 *Journal of the American Society of Horticultural Science* 117: 829-833.

453 Wolfe K and Liu RH. (2003). Apple peels as a value-added food ingredient. *Journal of*
 454 *Agricultural and Food Chemistry* 51: 76–83.

455 Wolfe K, Wu X and Liu RH. (2003). Antioxidant activity of apple peels. *Journal of Agricultural*
 456 *and Food Chemistry* 51: 609–614.

457 Ye, Z., Arumugam, V., Haugabrooks, E., Williamson, P. and Hendrich, S. (2015). Soluble
 458 dietary fiber (Fibersol-2) decreased hunger and increased satiety hormones in humans when
 459 ingested with a meal. *Nutrition research* 35: 393-400.

460 Zhang X, Chen F and Wang M. (2014). Antioxidant and antiglycation activity of selected
461 dietary polyphenols in a cookie model. *Journal of Agricultural and Food Chemistry* 62: 1643–
462 1648.

463 Zielinski H, Kozłowska H and Lewczuk B. (2001). Bioactive compounds in the cereal grains
464 before and after hydrothermal processing. *Innovative Food Science & Emerging Technologies*
465 2: 159-169.